# Free and open source tools for interactive training

**EIFL TRAIN-THE-TRAINER BOOTCAMP - NOV. 2023** 

Mirjana Nešić, Academy of Technical Applied Studies Belgrade



#### New media / Digital technologies

 $\mathsf{AR}$ 























### New services / Improving



#### Needs of modern user



### Digital transformation



### Digital skills

- Information and data literacy,
- Communication & collaboration,
- Content creation,
- Safety,
- Problem solving

#### Digital skills

- Information and data literacy,
- Communication & collaboration,
- Content creation
- Safety,
- Problem solving

Multimedia:

Audio

Video

Poster

Animation

AR (Augmented reality)

VR (Virtual reality)

QR technology

Marketing, Social network

#### Multimedia




Basic multimedia formats


Gadgets/Devices

Programs, apps, tools..

#### **Formats**



#### **Formats**



Donate

Video converter

Document converte

Archive converter

Register

▼ G

▼ G

▼ G


BOOK TRAILERS
VIDEO INSTRUCTIONS
VIDEO TUTORIALS
PROJECTS
MARKETING

VIDEO ABSTRACT VIDEO CV





# SCREEN VIDEO RECORDING SOFTWARE



#### Video tutorial – Desktop recording

#### **OPEN AND FREE SOFTWARE**











#### Video – Book trailer

#### Video abstract / Video CV



The open access journal at the forefront of physics

**RSS feed** 

Deutsche Physikalische Gesellsc

New Journal of Physics > Volume 12 > August 2010

Lucian Livedaru et al 2010 New J. Phys. 12 083018 doi:10.1088/1367-2630/12/8/083018

Cited By

#### Dangling-bond charge qubit on a silicon surface ...

Lucian Livadaru12.5, Peng Xue3.4, Zahra Shaterzadeh-Yazdi3, Gino A DiLabio1, Josh Mutus2, Jason L Pitters1, Barry C Sanders3 and Robert A Wolkow<sup>1,2</sup>

Show affiliations



Tag this article The PDF (733 KB)



Wew article

Abstract

References

DBs shows promise in this respect.

Metrics.

Two closely spaced dangling bonds (DBs) positioned on a silicon surface and sharing an excess electron are revealed to be a strong candidate for a charge qubit. Based on our study of the coherent dynamics of this gubit, its extremely high tunneling rate ~1014 s-1 greatly exceeds the expected decoherence rates for a silicon-based system, thereby overcoming a critical obstacle of charge gubit quantum computing (QC). We investigate possible configurations of DB gubits for QC devices. A first-order analysis of coherent dynamics of



#### Apps...







#### Stop Motion Studio

Let's Make a Movie. CATEATER, LLC

#114 in Photo & Video

\*\*\* 4.6, 8.9K Ratings

Free - Offers In-App Purchases





Podar • Música • Filtrar • Efecto



\* Editor de video profesiona







#### ANIMATIONS

#### **ANIMATIONS**

## AR (Augmented reality)



## AR (Augmented reality)



# HALOAR



# HALOAR



#### Virtual Reality - VR







Mosque













Palace



Museum









Bath





Castle







#### Libraries promote Libraries help with

**Digital Ethics** 

Equity

**Participation** 

Collective experience

**Diversity** 

Democratic values


**Inclusivness** 

Job seeking

Career and College prep

Mental health

Digital divide









mirjana.nesic@gmail.com



