

Gina Pavone

Institute of Information Science and Technologies Consiglio Nazionale delle Ricerche - IT

> Ivana Končić, Bojan Macan Centre for Scientific Information Ruđer Bošković Institute - HR

OpenOrgs: bridging registries of research organizations

Improving the quality of data in OpenAIRE

OpenAIRE - 19 April 2023








How to join OpenOrgs

- Create an OpenAIRE account
- 2. Sign in @ https://orgs.openaire.eu
- 3. You may choose different countries that you want to curate
- 4. Get in contact with admins: openorgs-admin@openaire.eu



Gina Pavone

Research Fellow at the Institute of Information Science and Technologies

National Research Council (CNR) - Italy

The trainers



Ivana Končić
Graduate Librarian at the
Centre for Scientific
Information
Ruđer Bošković Institute
(RBI)

Croatia



Head of the Centre for Scientific Information Ruđer Bošković Institute (RBI)

Bojan Macan


Croatia





Today's agenda

OpenOrgs curation sprint - April 19



Organizations - Information ambiguity

Information about the organizations is distributed in numerous data sources

Organizations may appear with different names (legal names, acronyms, short names, alternatives...)

The organization's structure may not be so clear: faculties, departments, branches, detachments etc.

But in order to have an efficient scholarly communication system, it is necessary to disambiguate this information









1 Organization

Many different names

Many data sources





Related organization	Acronym	Country	Source
Sapienza University of Rome URL:		g r	Original Id: chistera::8fe1974c2bdc8e69b4e2f@dde01c6f 2c Provenance: CHIST-ERA
Sapienza Università di Roma URL:		π	Original Id: chistera::d216f9fa7ff12d836ad62283e1b618 3d Provenance: CHIST-ERA
Sapienza Università di Roma URL:	Sapienza Università di Roma	e a	Original Id: doajarticles::Sapienza_Università_di_Roma Provenance: DOAJ-Articles
University La Sapienza of Rome URL:	University La Sapienza of Rome	e a	Original Id: doajarticles::University_La_Sapienza_of_Rome Provenance: DOAJ-Articles
Università degli Studi di ROMA 'La Sapienza' URL:		π	Original Id: miur::49e607219c94f97237f12ffb82e29f 69 Provenance: Ministero dell'Istruzione dell'Università e della Ricerca
Università degli studi La Sapienza di Roma URL: http://www.uniroma1.lt/		m rr	Original Id: opendoar::Università_degli_studi_La_Sapi enza_di_Roma_IT Provenance: OpenDOAR
Università degli Studi di ROMA "La Sapienza" URL: http://www.uniroma1.it	UNIROMA1	T IT	Original Id: orgreg::IT0068 Provenance: OrgReg
Sapienza University of Rome PID (GRID): grid.7841.a PID (OrgRef): 1222318 PID (ROR): https://ror.org/02be8w209 PID (FundRef): 100010143 PID (FundRef): 501100004271 PID (Wikidata): Q209344 URL: http://www.uniromal.it/	Sapienza University of Rome	T IT	Original Id: ror::https://ror.org/02be6w209 Provenance: ROR
Sapienza University of Rome URL:		e a	Original Id: snsf::Sapienza_University_of_Rome Provenance: SNSF - Swiss National Science Foundation
University of Rome La Sapienza URL:		₽ IIT	Original Id: snsf::University_of_Rome_La_Sapienza Provenance: SNSE - Swiss National Science Foundation

This ambiguity affects all the scholarly communication system



Services needing unambiguous information

Search & Discovery

Aggregation & showcase

Monitoring services

Open Science services

Researchers

To facilitate the findability of digital objects

RPOs

To consistently showcase the overall scientific production

RFOs


To have consistent information on the impact of resources

All stakeholders


To have functional and up-to-date services








Problem statement disambiguation










Organizations in OpenAIRE




Organizations (mentions)

- 1. Responsible body for the management of a data provider
- 2. Project participant
- 3. Extracted from the article full-text as paper affiliation

Lack of common identifiers!








Problem statement quality / completeness

organization fie	ld completeness	3
field	missing	% missing
legalname	254	0.1%
legalshortname	156,923	43.2%
alternativenames	319,825	88.0%
country	82,002	22.6%
website url	142,047	39.1%
pid	184,536	50.8%











False positives

- Inaccurate statistics (e.g. for institutional and country monitors)
- Inaccurate search results (e.g. finding only the US Concordia
 University and not the Canadian one)

False negatives

 One instance is linked to the papers, one to the project... but it is the same organization!





OpenAIRE services needing organization disambiguation

Explore

The portal where to explore the research graph, from scientific products to institutions and funding streams

Monitor Dashboard

Funders can have an overall view of the scientific production of the resources they allocate

Institutional d.

A dashboard where single institutions can track their research activities (grants, publications, datasets, software and other), and their performance in areas such as OS, EOSC, collaborations, reach and visibility and so on

OS observatory

To understand the European research landscape and track trends for open access to publications, data, software







OpenOrgs activity pillars

Automatic suggestion of duplicates


The process for the automatic identification of possible duplicates will periodically produce new suggestions for the data curators.

Manual management of duplicates

Deciding whether two or more digital representations are duplicates of the same object can be a task that only humans can carry out precisely. The OpenOrgs tool allows data curator to manage the ambiguities in the data lack of the organization mentions aggregated by OpenAIRE.

Metadata curation

In OpenOrgs data curators can enrich the metadata description of the organization entities, compensating the lack of information available from the sources and improving the discoverability / completeness of the organization records.







OpenOrgs curation tasks



Actions in OpenOrgs

Data curators can

- Curate and enrich orgs metadata
- Resolve duplicates suggested by the algorithm in the <u>duplicates section</u>
- Manually add duplicates in the single org metadata page
- Add parent-child relations (if any) in the metadata page
- Approve <u>suggested orgs</u> and give them stable OpenOrgs IDs
- Insert <u>new orgs</u> inside OpenOrgs
- Leave comments in the <u>note section</u> of each organization
- See <u>history</u> of the actions made on the single org page
- Resolve <u>conflicts</u>





User roles

Simple User



Scope of data curation is limited to a set of countries

Metadata editing & enrichment

Approval of suggestions from the automated duplicate identification

Creation of a new Organization → to be approved by national admin





Scope of data curation is limited to a set of countries

Metadata editing & enrichment


Approval of pending organizations → generates approved Orgs

Grant access to simple users for the selected countries

Resolution of conflicts









Search





Metadata curation & enrichment






Ruđer Bošković Institute

ID: openorgs___::0000079963

Created at July 16, 2020 11:48:19 by import:grid.ac

Modified at April 18, 2023 13:48:55 by Bojan.Macan@irb.hr

OA Graph Node ID: openorgs___:ec3665affa01aeafa28b7852c4176dbd [try on OA Explore] persistent



Other names and identifiers + IR8 RSI new acronym... language name • Institut Ruđer Bošković

Rudjer Boskovic Institute	en	•
new alias	language	+
Identifies Control of the Control of		
id	type	
4763329	OrgRef	*
grid.4905.8	GRID	*
143735567	VIAF	¥
Q7383690	Wikidata	•

FundRef PIC ISNI Φ type...


501100007259 999875031 0000 0004 0635 7705 new id... Urts http://www.irb.hr/

http://...

+

How it looks on OpenAIRE EXPLORE









Metadata curation & enrichment


Recommendations and Tips

- Use the English organization name as the main name, and include the local name as an alias.
- Include the organization URL and use UTF-8 encoding.
- Establish a consistent "local" naming rules (e.g. University of Zagreb, Faculty of Law).
- Check **EC flags** for organization type.
- Add notes to org page for information tracking.
- See in **history** the actions performed in the org page.





Connecting different IDs of the same org




Where to find org's IDs?

- orgs official websites, documents, etc.
- other databases
 - ISNI https://isni.org/page/search-database/
 - ROR https://ror.org/
 - PIC https://bit.ly/41kE71Y
 - VIAF https://viaf.org/







Metadata curation & enrichment

Establishing relationships between organizations

- OpenOrgs only permits parent-child relationships ('is parent of' or 'is child of').
- Child production is included in parent production.
- Establishing relationships between organizations is important for **monitoring production**, particularly between universities, departments, and institutes.
- To link departments or institutes within an organization, they must first be approved as an organization and then linked as a child to the main org.
- Consider naming children orgs with a specific rule (e.g. *University of Zagreb, Faculty of Law*).
- One org can have more than one parent (for "hybrid" cases).





UNIV. deduced affiliation isParentOf DEPT. A DEPT. B DEPT. C affiliation

An example of relations:

Relations

		Relations
This organizazion is parer	nt of University of Split,	Arts Academy
This organizazion is parer	nt of University of Split,	Catholic Faculty of Theology
This organizazion is parer	nt of University of Split,	Faculty of Chemistry and Technology
This organizazion is parer	nt of University of Split,	Faculty of Civil Engineering, Architecture and Geodesy
This organizazion is parer	nt of University of Split,	Faculty of Economics, Business and Tourism
This organizazion is parer	nt of University of Split,	Faculty of Electrical Engineering, Mechanical Engineering a
This organizazion is parer	nt of University of Split.	Faculty of Humanities and Social Sciences
This organizazion is parer	nt of University of Split,	Faculty of Kinesiology
This organizazion is parer	nt of University of Split,	Faculty of Maritime studies
This organizazion is parer	nt of University of Split,	Faculty of Science
This organizazion is parer	nt of University of Split,	School of Medicine
This organization	rel type	related organization





Adding new orgs

If an org is not present in OpenOrg

data curators can add it by clicking on create \rightarrow a new org.

There are three mandatory metadata: name, country and type.

Recommendations:

- For the org's name, it is recommended to use the English version as the main name and include the name in the national language as an alias.
- Always try to include the organization's URL or check that it is correct and use UTF-8 encoding.

Tips:

- To determine the organization's type, check the EC flags.
- Notes can be added within an orgs page to keep track of choices made.





Approval of new orgs


Main concepts:

Pending or suggested org: is an organization to be approved by a data curator; the approval produces an OpenOrgs ID.

Approved org: is an organization that was confirmed by a curator. It is persisted with a stable identifier (OpenOrgs ID) and its metadata fields can be enriched/curated;














 Zagreb

 Organization name ✓
 Place

 Centre for Croatian Studies of University of Zagreb
 ✓ → HR

 Criatian Social Science Data Archive, University of Zagreb Faculty of Humanities and Social Sciences
 ✓ → HR

 Croatian Sociological Society, Department of Sociology at Faculty of Humanities and Social Sciences, University of Zagreb
 ✓ → HR

In this case also a relation must be established!

Department of Chemistry Faculty of Science University of Zagreb	HR
Department of Geography Faculty of Science University of Zagreb	. HR
Department of Mineralogy, Petrology and Geochemistry University of 2	agreb HR





Beware!

The same org must not have more than one OpenOrgs ID!

- Only approve the organization after checking that it does not already exist with the OpenOrg ID.
- Multiple OpenOrg IDs for the same organization will result in a conflict.





Duplicates curation

Main concept: duplicates

- Duplicates can occur between approved and raw organizations.
- Raw organizations are external organizations without an OpenOrg ID, sourced from platforms such as Corda, Re3data, and ROR.
- The deduplication algorithm may suggest duplicates, or users may add them manually within an organization's page.





Duplicates curation in two steps

1. Complete the automated part

Duplicates section \rightarrow lists organizations suggested by an algorithm to be duplicates.

It is an automated process that requires confirmation or rejection by the data curator.

2. Manual entry

Duplicates addition in the metadata org page → The data curator manually adds duplicates in the main org page.

Hand-added duplicates do not appear in the list of possible duplicates suggested by the algorithm.








Potential new duplicates section

Curation menu → Organizations with new duplicates





ID: openeros ::00000160

Created at July 16, 2020 11:48:19 by importigrid.ac

Modified at July 16, 2020 11:48:19 by importigrid.ac

OA Graph Node ID: openorgs___::Se91b35f34a6d4ead6432ef2f77d24bf [try on OA Explore]

legal body legal person non profit research organization higher education

\$raph Node ID: openorgs::Se91b35f34a6d4ead6432ef2f77d24bf [try on OA Explosion]	re]			
Metadata Management Duplicates Conflicts Note History '5				
Current organization				
Name	University of Zadar			
Туре	Education			
Place	Zadar, HR			
Acronyms				
Also known as	Sveučilište u Zadru Sveučilište u Zadru University of Zadar Universitas Studiorum ladertina Свеучилиште у Задру			
Urls	http://www.unizd.hr/			
Other identifiers	3070362 (OrgRef) grid.424739.f (GRID) Q2496233 (Wikidata) 0000 0001 2159 1688 (ISNI) https://ror.org/00t89vb53 (ROR	R)		
Duplicates				
Related organization	Acronym	Country	Source	
University of Zadar PID (PIC: 991684060 URL: http://www.unicd.hr logal body logal person non profit research organization bigher education	UNIZD	ĕ ₩R	Original Mt conda::991684969 OA Graph Node ID: conda::4cec14029016076cc6534f34d5e52d9c [try] Provenance: CORDA - COmmon Research DAta Warehouse	x ?
SVEUCILISTE U ZADRU PID (PIQ: 991684060 URL: http://www.unied.hr	UNIZO	₩ HR	Original Id: conda_h2020::991684060 OA Graph Node ID: conda_h2020::4cec14029016076cc6534f34d5e52d0c [try] Provenance: CORDA - COmmon Research DAta Warehouse - Horizon 2020	x ?



An org with wrong suggested duplicates

University of Zagreb, Faculty of Agriculture

ID: openorgs___:0000101403

Created at October 6, 2022 11:30:46 by Martina.Zugaj@irb.hr

Modified at October 6, 2022 11:30:46 by Martina.Zugaj@irb.hr

OA Graph Node ID: openorgs___:c55be4e1c4433a491bcce8e71df78ed4 [try on OA Explore]

Metadata Management Duplicates Conflicts Note His	tory 5		
Current organization			
Name	University of Zagreb, Facul	ty of Agriculture	
Туре	Education [legal body [leg	gal person non profit higher o	ducation
Place	Zagreb, HR		
Acronyms			
Also known as	Sveučilište u Zagrebu, Agro	onomski fakultet	
Urls	http://www.agr.unizg.hr/		
Other identifiers	999534561 (PIC)		
Duplicates			
Related organization	Acronym	Country	Source
SVEUCILISTE U ZAGREBU - GEODETSKI FAKULTET PID (PIC): 973026207 URL: http://www.geof.hr legal body legal person non profit research organization higher education	UNIVERSITY OF ZAGREB-FACULTY OF GEODESY	ĕ ₩R	Original Id: corda:1973026207 OA Graph Node ID: corda:184dde38fa21b40fad483aa5267d51239 [try] Provenance: CORDA - COmmon Research DAta Warehouse Added by: Martina.Zugaj@irb.hr


Manual entry of duplicates

Single org page \rightarrow Duplicates tab \rightarrow Add button (bottom of the page) \rightarrow type the search

Created at July 16, 2 Modified at July 16,				
				SabZccOff [try on OA Explore
Metadata Mana	gement	Duplicates	Conflicts	Note History 'S







Resolution of conflicts

A conflict is created when the same organization is approved more than once, thus giving to the same org different OpenOrgs IDs.

- The deduplication algorithm suggests **potential conflicts**, which require confirmation from the curator.
- To add a conflict, curators can select the main organization and add the conflicting org through the **conflicts tab** on the org page.
- Resolving potential conflicts hides the conflicting orgs ('hidden') and creates a new OpenOrg ID.





Potential conflict resolution

Conflicts



Resolve conflicts

openorgs___:0000043562 Name Iscte - Instituto Universitário de Lisboa Education Type Place Lisbon, PT Acronyms Iscte Also known as Instituto Universitário de Lisboa Lisbon University Institute Higher Institute of Business and Labour Sciences Instituto Superior de Ciências do Trabalho e da Empresa Urls https://www.iscte-iul.pt/ Other identifiers 0000 0001 2220 8863 (ISNI) grid.45349.3f (GRID) https://ror.org/014837179 (ROR) 21625121 (OrgRef) Q2886844 (Wikidata)

select >:

openorgs:0000098645	
Name	ISCTE - Instituto Universitário de Lisboa
Type	Education
Place	-, PT
Acronyms	ISCTE
Also known as	
Urls	http://www.iscte-iul.pt
Other identifiers	PT0014 (OrgReg)

New group

Main organization	
Name	Iscte - Instituto Universitário de Lisboa
Туре	Education
Place	Lisbon, PT
Acronyms	Iscte
Also known as	Instituto Universitário de Lisboa
	Lisbon University Institute
	Higher Institute of Business and Labour Sciences
	Instituto Superior de Ciências do Trabalho e da Empresa
Urls	https://www.iscte-iul.pt/
Other identifiers	0000 0001 2220 8863 (ISNI)
	grid.45349.3f (GRID)
	https://ror.org/014837179 (ROR)
	21625121 (OrgRef)
	Q2886844 (Wikidata)

Name	ISCTE - Instituto Universitário de Lisboa
Туре	Education
Place	-, PT
Acronyms	ISCTE
Also known as	
Urls	http://www.iscte-iul.pt
Other identifiers	PT0014 (OrgReg)

reset

all different merge

Recap - Main concepts

Approved org: is an organization that was confirmed by a curator. It is persisted with a stable identifier (OpenOrgs ID) and its metadata fields can be enriched/curated;

Pending or suggested org: is an organization to be approved by the national admin; the approval produces an OpenOrgs ID.

Duplicate: possible duplication of the same organization, to be resolved by the user. It is created between an approved org and a raw org (an external org with no OpenOrg ID, ie coming from Corda, Re3data, ROR...). Duplicates can be suggested by the dedup algorithm or added by the user inside an org page.

Raw org: the organization with the original registry id. It will never change its ID (those changing ID with the approval are the pending or suggested orgs), it identifies the organ it comes from the original source; it can be added as duplicate.

Hidden org: is an organization not shown in the OpenAIRE public portals. It is the result of a resolution of a conflict. A conflict can be created for example when the same organization is approved by mistake more than once inside OpenOrgs (thus giving different stable OpenOrgs IDs to the same organization). If the curator resolves this conflict by merging two organizations with different OpenOrgs IDs, a new org is created and the previous ones are set as hidden.





Suggested workflow

- 1. Resolution of duplicates suggested by the algorithm;
- 2. Metadata curation and, if necessary, manual adding of duplicates please note that this is a different task than the previous one;
- Resolution of conflicts (if any);
- 4. Approval of new orgs (only after checking that the org do not already exist with the OpenOrg ID)





Quick guide for institutional dashboard managers

List of actions

1. Metadata curation for your organization

- a. Main name in english
- b. Name in the National language in aliases
- c. Add or update the URL
- d. Add extra PIDs (e.g. ROR identifier)
- e. Set the parent/child relationships

2. Management of the duplicates

- a. On the "duplicates" tab confirm or reject the suggestions
- b. Add new duplicates (if needed)





Let's start!

- Choose an organization to curate (e.g. your organization)
- Check and edit (eventually enrich) the metadata and in this point maybe it is worth recalling the metadata curation guidelines

 - a. Main name in english
 b. Name in the National language in aliases
 c. Add or update the URL

 - d. Add extra PIDs (e.g. ROR identifier)
- Set parent/child relations (if any)
- Go to the duplicate section and approve/reject duplicates
- Manually add duplicates
- Are there any conflicts? If yes, resolve them.





Are you up for a challenge?

We are challenging you to curate 10 organizations in 15 days!

Take on the challenge by choosing organizations to curate, checking and editing metadata including resolving duplicates, adding extra PIDs, setting parent/child relations...

Once you complete the challenge, tell us what you think!

Share your thoughts and provide feedback here: https://bit.ly/3osnWAU





Demo session

- How a curated org appears: University of Pisa Italy
- An organization with wrong duplicates suggested by the algorithm: Alma mater studiorum
- How to **curate metadata and approve a new org** inside OpenOrg: Department of Biology, University of Rome Tor Vergata, Rome, Italy
- **Avoid conflicts**: Aristotle University of Thessaloniki or university of L'Aquila
- Resolution of potential conflicts: Italian section Manually add a conflict: A2A

Besides you can:

- Perform a simple search (also with part of the name)
- Browse by type of org (and by country if you are curating more than one county)
- Browse only suggested orgs (orgs to be approved)
- Browse only duplicates
- Insert a new org





Thank You!

gina.pavone@isti.cnr.it ikoncic@irb.hr Bojan.Macan@irb.hr



